

Lime GONE

Removes Rust, Scale, Hard Water & Organic Deposits

Product # 302

DESCRIPTION

Lime Gone was designed especially for the fast, easy and economical removal of mineral and organic deposits. This product is excellent for the removal of rust, scale, hard water deposits and organic deposits from ceramic tiles, porcelain, iron, steel, copper, bronze and brass. Great for removing lime, scale and slime from Automatic Ice Machines and Dishwashers. Can be used by immersion or by circulation. Is safe and efficient, non-flammable, non-fuming and non-explosive. Contains inhibitors to prevent damage to metals.

BENEFITS

- * *EFFICIENT* on virtually all non-porous surfaces.
- * *MAXIMUM* scale and organic deposits removing power.
- * *ECONOMICAL*, concentrated solution.
- * *NON-FLAMMABLE, NON-EXPLOSIVE, NON-FUMING*

USAGE

Recommended for commercial, institutional, educational, industrial and household use.

Great for air conditioning coils and steam cleaners, shower stalls, ceramic tiles, ice machines, dishwashing machines, boilers and other non-porous surfaces.

DIRECTIONS

SHOWER STALLS, TILE AND OTHER NON-POROUS SURFACES: Dilute 1 part to 20 parts of water. Apply to surface and scrub with mop avoiding splattering. Flush thoroughly. **AIR CONDITIONER COILS and STEAM CLEANERS:** Dilute 1 part with 4 parts of water for heavy lime and scale accumulation. 1 part to 8 for light accumulation. Circulate until all lime and scale are removed. FLUSH.

ICE MACHINES: Dilute 1 part to 20 parts of water and circulate for time needed to descale, then flush thoroughly with warm water.

DISHWASHING MACHINES: Dilute 1 part to 20 parts of water and circulate for time needed to descale, then flush thoroughly with warm water. **BOILERS:** Dilute 1 part to 20 parts of water. Circulate until all scale is removed. FLUSH.

PRODUCT SPECIFICATIONS

APPEARANCE	Clear liquid emulsion
COLOR	Colorless
VISCOSITY @ 77°F cps	Water Thin
ODOR	Acidic
WEIGHT / Gallon at 77°F	9.3 lbs.
WATER SOLUBILITY	100%
pH IN CONCENTRATE	1.0
RINSING PROPERTIES	Free Rinsing
ABRASIVES	None
SHELF LIFE	1 Year in unopened container
PACKAGING	55, 35, 15 Gallon drums 5 Gallon pails Cases of 6/1 and 4/1 Gallon jugs

SAFETY INFORMATION

KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

Caution: MAY BE HARMFUL OR FATAL IF SWALLOWED.

FIRST AID

SKIN: Immediately flush with plenty of cool running water for at least 15 minutes or wash thoroughly with soap and water. If irritation persists, *SEEK MEDICAL ATTENTION.* **EYES:** Flush with large quantities of cool running water for at least 15 minutes. If irritation persists, *CALL A PHYSICIAN.* **INGESTION:** *DO NOT* induce vomiting. Drink a teaspoonful or more of Milk of Magnesia, Chalk Whiting or small pieces of soap softened with water, milk or raw egg whites. *CALL A PHYSICIAN.* Use with adequate ventilation. Do not mix with any other chemicals. Avoid splashing on Nylon or Cotton. Do not use or allow to splash on to surfaces or plated fixtures not guaranteed "acid-resistant." Wear synthetic rubber gloves and safety goggles. Do not store in metal containers.

Quality  **Chemical**

1835 N.E. 144th Street, North Miami, Florida 33181
(305) 944-2837 • (888) 355-5540 • Fax (305) 944-6857
www.QualityChemical.com