

DESCRIPTION

A non-flammable nut and bolt loosener that quickly penetrates through rust and corrosion to free frozen or rusted parts. Leaves a non-drying residual film to block out future rust and corrosion.

USAGE

Recommended for industrial, commercial, institutional as well as household use.

DIRECTIONS

Saturate parts and area of contact. Allow to set for several minutes before attempting to break free. For parts that will not release or are heavily encrusted, the aid of a wire brush may be needed. To ensure easy of removal in the future, coat parts while reassembling and make periodic checks to determine the need for reapplication.

PRODUCT SPECIFICATIONS

APPEARANCE Brown liquid **ODOR** Solvent like <200 °F (TOC) FLASH POINT(CONC)

FLAMMABILITY Non-flammable spray

68 psig@72 °F **VAPOR PRESSURE**

SPECIFIC GRAVITY 0.84 WATER SOLUBILITY Negligible

SHELF LIFE > 2 Years in adequate environment 12 oz. Aerosol Cans 12x1 Case **PACKAGING**

SAFETY INFORMATION

KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

CAUTION: Avoid contact with eyes or prolonged contact with skin. Use in well ventilated area.

SKIN: Wash with soap and water. If irritation develops, seek medical attention. EYES: Immediately flush eyes with plenty of water for at least 15 minutes, lifting eyelids occasionally. Seek medical attention. INGESTION: Do not induce vomiting. Seek medical attention immediately.

INHALATION: Remove person to fresh air. Seek medical attention if necessary.

Store in a cool, dry place away from heat or open flame. Do not store at temperatures above 120 °F.

HMIS RATING 0 -Minimal 1-Slight 2-Moderate 3-Serious 4-Extreme

HEALTH	1
FLAMMABILITY	1
REACTIVITY	0
PROTECTION	В

